Geological Magazine

with which is incorporated

The Geologist

founded in 1864 by the late DR HENRY WOODWARD, F.R.S.

Edited by W. B. HARLAND, M.A.
C. P. HUGHES, M.A.
and G. A. CHINNER, PH.D.

assisted by MRS M. J. MASON

Associate editors

SIR KINGSLEY DUNHAM, D.SC., F.R.S.
MR N. L. FALCON, M.A., F.R.S.
PROFESSOR LEONARD HAWKES, D.SC., F.R.S.
SIR PETER KENT, D.SC., F.R.S.
DR S. R. NOCKOLDS, PH.D., F.R.S.
PROFESSOR F. W. SHOTTON, M.B.E., M.A., SC.D., F.R.S.
SIR JAMES STUBBLEFIELD, D.SC., F.R.S.

Volume 114 of Whole Series
January–December 1977

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE · LONDON · NEW YORK

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, P.O. Box 92, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1977

Pagination and dates of publication of issues in this volume

Number 1:	pp. 1–80	January 1977
2:	pp. 81–164	March 1977
3:	pp. 165–248	May 1977
4:	pp. 249–328	July 1977
5:	pp. 329–408	September 1977
6:	pp. 409–496	November 1977

Printed in Great Britain at the University Press, Cambridge

Contents

ARTICLES

(Figures in bold type denote number of issue)

AMIRI-GARROUSSI, K.
Origin of montmorillonite in early Jurassic shales of NW Scotland, **4**, 281

AWASTHI, A. K. & KUMAR, S.
A nomogram to estimate the size for a random sample from a normal population for mean, **6**, 475

BANNER, F. T.
Planktonic biostratigraphic correlation, Californian Early Palaeogene, **6**, 485

BUSSELL, M. A. & McCOURT, W. J.
The Iglesia Irca intrusion and the role of gas brecciation in the emplacement of the Coastal Batholith of Peru, **5**, 375

COOK, A. F.
Temporary exposure of the Middle Cambrian, Warwickshire, England, **1**, 33

CRAWFORD, A. R.
Danubian deviations and mantle diapirism: a possible origin of the Carpathian Arc, **2**, 115

DAGGER, G. W.
Controls of copper mineralization at Coniston, English Lake District, **3**, 195

DEELMAN, J. C.
Surface roughness measurements and the analysis of petrofabrics, **6**, 459

FAIRCHILD, I. J.
Phengite spherules from the Dalradian Bonahaven Formation, Islay, Scotland: glauconitized microfossils? **5**, 355

FINLOW-BATES, T.
The formation of fibrous texture in some veins, **2**, 141

FORTEY, R. A. & MORRIS, S. F.
Variation in lens packing of *Phacops* (Trilobita), **1**, 25

GOODE, A. D. T.
Intercumulus igneous layering in the Kalka Layered Intrusion, central Australia, **3**, 215

GOODE, A. D. T.
Vertical igneous layering in the Ewarara layered intrusion, central Australia, **5**, 365

HARLAND, W. B.
International Stratigraphic Guide, 1976, **3**, 229

HARRISON, R. K., SNELLING, N. J., MERRIMAN, R. J., MORGAN, G. E. & GOODE, A. J. J.
The Wolf Rock, Cornwall: new chemical, isotopic age and palaeomagnetic data, **4**, 249

HEY, R. W. & BRENCHLEY, P. J.
Volcanic pebbles from Pleistocene gravels in Norfolk and Essex, **3**, 219

HURFORD, A. J.
Fission track dates from two Galloway granites, Scotland, **4**, 299

JENKYNS, H. C. & SENIOR, J. R.
A Liassic palaeofault from Dorset, England, **1**, 47

KWAK, T. A. P.
Scapolite compositional change in a metamorphic gradient and its bearing on the identification of meta-evaporite sequences, **5**, 343

LANPHERE, M. A., CHURKIN, Jr M. & EBERLEIN, G. D.
Radiometric age of the *Monograptus cyphus* graptolite zone in Southeastern Alaska – an estimate of the age of the Ordovician-Silurian boundary, **1**, 15

MOESKOPS, P. G.
Volume increase serpentinisation in Archaean quench texture ultramafic rocks near Kalgoorlie, Western Australia, **1**, 41

MUIR, M. D.
Late Precambrian Microfossils, **5**, 395

MULLAN, H. S. & BUSSELL, M. A.
The basic rock series in batholitic associations, **4**, 265

ODELL, J.
Description in the geological sciences and the Lithostratigraphic Descriptive System, LSDØ2, **2**, 81

PRESTON, J.
An unusual occurrence of quartz and amorphous silica at Carmean, Moneymore, Co. Antrim, **5**, 389

RHODES, S. & GAYER, R. A.
Non-cylindrical folds, linear structures in the X direction and mylonite developed during translation of the Caledonian Kalak Nappe Complex of Finnmark, **5**, 329

ROGERS, N. W. & GIBSON, I. L.
The petrology and geochemistry of the Creag Dubh composite sill, Whiting Bay, Arran, Scotland, **1**, 1

SCRUTTON, C. T.
Facies variations in the Devonian limestone of eastern South Devon, **3**, 165

SHANNON, P. M.
Diagenetic concretions from the Ribband Group sediments of County Wexford, Ireland, **2**, 127

SHAW, F. C. & FORTEY, R. A.
Middle Ordovician facies and trilobite faunas in N. America, **6**, 409

SHIRAV (SCHWARTZ), M.
The occurrence of large scale kink bands in Campanian chalk at the Gulf of Elat ('Aqaba) rift zone, **6**, 467

SINHA ROY, S.
Mylonitic microstructures and their bearing on the development of mylonites – an example from deformed trondhjemites of the Bergen Arc region, SW Norway, **6**, 445

SMITH, D. G.
Late Triassic palynology and the definition of the lower boundary of the Rhaetian Standard Age/Stage, **2**, 153

STAUFFER, P. H. & SNELLING, N. J.
A Precambrian trondhjemite boulder in Palaeozoic mudstones of NW Malaya, **6**, 479

STOREY, B. C., MAIR, B. F. & BELL, C. M.
The occurrence of Mesozoic oceanic floor and ancient continental crust on South Georgia, **3**, 203

STRIMPLE, H. L.
Unusual morphological features in the blastoid genus *Pentremites*, **1**, 9

STRIMPLE, H. L.
The inadunate crinoid genus *Cryphiocrinus* Kirk, **3**, 209

VISWANATHAN, S.
Differentiated dyke rocks of Mer Mundwara, Rajasthan, and their metallogenic significance, **4**, 291

WEBBY, B. D.
Labechia aldonensis sp. nov.; an Ordovician stromatoporoid from Scotland, **1**, 53

WILLIAMS, P. J.
Properties of frozen ground: Russian approaches, **1**, 65

WRIGHT, J. V. & COWARD, M. P.
Rootless vents in welded ash-flow tuffs from northern Snowdonia, North Wales, indicating deposition in a shallow water environment, **2**, 133

CORRESPONDENCE

ALI, O. E. Jurassic hazards to coral growth, **1**, 63

BATHURST, R. G. C. Ordovician Meiklejohn bioherm, Nevada, **4**, 308

BREMNER, D. & LEAKE, B. E. On the western boundary of the Galway Granite, **3**, 227

COWIE, J. W. Upper Precambrian (Riphean) in the Southern Urals of U.S.S.R., **4**, 305

FIRMAN, R. J. & DAGGER, G. W. Lake District copper, **6**, 483

MARSH, J. S. & ROCK, N. M. S. The role of CO_2 in alkali rock genesis, **2**, 149

NOCKOLDS, S. R. & Le BAS, M. J. Average calc-alkali basalt, **4**, 311

SINHA ROY, S. & FERGUSON, C. C. Textural patterns at porphyroblast margins, **2**, 147

STANTON, W. I. & SCHERMERHORN, L. J. G. and WILLIAMS, G. E. Late Precambrian glacial climate and the Earth's obliquity – a discussion, **1**, 57

SOZANSKY, V. I. & WILSON, H. E. Note on the stratigraphic position of igneous rocks of the Larne Borehole, County Antrim, **2**, 145

VIDAL, G.
Late Precambrian Microfossils, **5**, 393

REVIEWS

Les ammonitines de Carixien de la Montagne du Bakony, **3**, 239

Annotated Bibliographies of Mineral Deposits in Africa, Asia (exclusive of U.S.S.R.) and Australasia, **5**, 399

Aplanissements cuirassés et enrichissement des gisements de manganese dans quelques regions d'Afrique de l'ouest, **3**, 244

An appraisal of physiographic units for predicting site conditions in arid areas, **2**, 157

An atlas of microfacies in Carboniferous Carbonates of the Canadian Cordillera, **4**, 318

The Boreal Lower Cretaceous, **1**, 69
Bretagne. Guides Géologiques Régionaux, **5**, 405
The British Journal for the History of Science. Lyell Centenary Issue, **4**, 315
Carbonaceous Meteorites, **1**, 71
Chemical Methods of Rock Analysis, **6**, 489
Children of the Universe, **1**, 74
Compaction of Coarse-grained Sediments, **5**, 401
Conodont Paleoecology, **5**, 404
Conodonts of the Waterways Formation (Upper Devonian) of northeastern and central Alberta, **2**, 160
The Cretaceous System in the Western Interior of North America, **6**, 489
Crustal Movement, **3**, 240
Depth distribution of benthic foraminifera on the continental slope of Portugal, **4**, 320
A Dictionary of Earth Sciences, **4**, 320
Drifting Continents, **2**, 159
Earth Resources. A dictionary of terms and concepts, **3**, 245
Ecology and Earth History, **4**, 319
The Environment. A dictionary of the world around us, **3**, 245
Environmental Geology, **3**, 241
ERTS-1. A new window on our planet, **3**, 245
Europe from Crust to Core, **5**, 402
The evolutionary significance of the exine, **2**, 158
Exploration of the Continental shelf of the Barents Sea from the time of Fridtjof Nansen until today, **6**, 491
Explosion Seismology in Central Europe, **4**, 321
Feldspar Minerals, **1**, 69
Field Geology in Colour, **4**, 317
Foraminifera, **5**, 403
Fundamentals of Palaeontology, **4**, 317
Fundamentals of Rock Mechanics, **3**, 240
The Geological Evolution of the British Isles, **4**, 318
Geological Factor Analysis, **3**, 237
Geological Maps and their Interpretation, **4**, 321
Geology and Palaeontology of Southeast Asia, **3**, 236
Geology for Schools, **3**, 246
The Geology of Lincolnshire, **5**, 402
Geology of Turkey, **5**, 399
Geography of Svalbard. A short survey, **6**, 491
Global Geology, **6**, 489
Gondwana geology, **1**, 75
The gravity and magnetic fields of Atlantic offshire Canada, **1**, 75
History of the Earth Sciences during the Scientific and Industrial Revolutions with special emphasis on the Physical Geosciences, **4**, 315
An Introduction to Geological Maps, **4**, 321
JLC and Advanced FORTRAN Programming, **3**, 243
Jurassic Environments, **3**, 241
Jurassic Paleobiogeography of Alaska, **3**, 242
Late Quaternary stratigraphy based on planktonic foraminifera off Senegal, **4**, 320
Leitfossilien. No. 1. Die Trilobiten des Ober-Devon, Karbon und Perm, **4**, 322

Mesozoic and ?Tertiary rocks of Quatsino Sound, Vancouver Island, British Columbia, **4**, 318
Metallogeny and Plate Tectonics, **6**, 490
Microfacies and Microfossils of the Miocene Reef Carbonates of the Philippines, **6**, 493
Middle Jurassic (Bajocian) Ammonites from eastern Oregon, **4**, 323
Middle Jurassic (Bajocian and Bathonian) ammonites from northern Alaska, **3**, 242
Morphology and Biology of Reptiles, **5**, 399
Noncystimorph colonial rugose corals of the Onesquethaw and lower Cazenovia Stages (Lower and Middle Devonian) in New York and adjacent areas, **3**, 244
North Sea and European Shelf Oil and Gas Activity Map, **6**, 493
Paleotectonic investigations of the Pennsylvanian System in the United States, **3**, 237
The Periglacial Environment, **4**, 313
Planet Earth in Colour, **4**, 317
Proterozoic and Paleozoic Geology of Banks Island, Arctic Canada, **4**, 319
Pyrénées Occidentales. Béarn, Pays Basque, **3**, 247
Quantitative Techniques for the Analysis of Sediments, **3**, 243
Recent Foraminifera, **2**, 158
The Science of Speleology, **3**, 238
Slate. Mineral Resources Consultative Committee, **3**, 236
Soils of Wisconsin, **6**, 492
Soil Taxonomy. A Basic System of Soil Classification for making and interpreting Soil Surveys, **6**, 492
Spilites and Spilitic Rocks, **1**, 73
Stratigraphic distribution and zonation of Jurassic (Callovian) ammonites in southern Alaska, **3**, 242
The Study of Trace Fossils, **2**, 157
Theory and problems of Earth Sciences, **2**, 160
Upper Jurassic – Lower Cretaceous dinoflagellate assemblages from Arctic Canada, **2**, 159
Val. de Loire. Anjou, Touraine, Orléanais, Berry, **3**, 247
Vosges Alsace, **3**, 247
World Mineral Supplies, **4**, 314

Publications Received

Lists appear beginning pages **1**, 77; **2**, 161; **3**, 248; **4**, 324; **5**, 407; **6**, 494

Index

to Authors, key words in titles and to new taxa in Volume 114;
(R) indicates Review

Africa, Mineral Deposits (R), 399
Afrique, manganese (R), 244
Alaska, Jurassic (R), 242; Ordovician – Silurian boundary, 15
Alberta (R), 160
Ali, O. E. Jurassic hazards to coral growth, 63
Alkali rock genesis, 149
Amiri-Garroussi, K. Origin of montmorillonite in the early Jurassic shales of N.W. Scotland, 281
Ammonites, Jurassic, Alaska (R), 242; Oregon (R), 323
Ammonitines, Montagne du Bakony (R), 239
Anjou (R), 247
Antrim, Larne Borehole, 145; quartz and silica, 389
Archaean, 41
Arid areas (R), 157
Arran, Creag Dubh composite sill, 1
Ash – flow tuffs, welded, 133
Asia, Mineral Deposits (R), 399
Australasia, Mineral Deposits (R), 399
Australia, central, 215; igneous layering, 365
Awasthi, A. K. & Kumar, S. A nomogram to estimate the size for a random sample from a normal population for mean, 475
Banks Island, Canada (R), 319
Banner, F. T. Planktonic biostratigraphic correlation, Californian Early Palaeogene, 485
Barents Sea, continental shelf (R), 491
Le Bas, M. J. & Nockolds, S. R. Average calc-alkali basalt, 311
Basalt, 311
Batholith, Peru, 375
Batholithic, 265
Bathurst, R. G. C. Ordovician Meiklejohn bioherm, Nevada, 308
Béarn (R), 247
Bell, C. M., Storey, B. C. & Mair, B. F. The occurrence of Mesozoic oceanic floor and ancient continental crust on South Georgia, 203
Bergen Arc region, SW Norway, 445
Berry (R), 247
Bioherm, Meiklejohn, 308
Blastoid, 9
Bonahaven Formation, 355
Boreal, Cretaceous (R), 69
Bremner, D. & Leake, B. E. On the western boundary of the Galway Granite, 227
Brenchley, P. J. & Hey, R. W. Volcanic pebbles from Pleistocene gravels in Norfolk and Essex, 219
Bretagne (R), 405
British Isles, Geological Evolution (R), 318
Bussell, M. A. & M^{c}Court, W. J. The Iglesia Irca intrusion and the role of gas brecciation in the emplacement of the Coastal Batholith of Peru, 375

Bussell, M. A. & Mullan, H. S. The basic rock series in batholithic associations, 265
Calc – alkali basalt, 311
Caledonian Kalak Nappe Complex, 329
Cambrian, England, 33
Canada, gravity and magnetic fields (R), 75; Jurassic – Cretaceous dinoflagellate assemblages (R), 159; Proterozoic and Paleozoic, Banks Island (R), 319
Canadian Cordillera (R), 318
Carboniferous Carbonates (R), 318
Carixien, ammonitines (R), 239
Carpathian Arc, 115
Central Europe, explosion seismology (R), 321
Cephalopoda (R), 317
Chalk, Campanian, 467
Chemical Methods of Rock Analysis (R), 489
Churkin, Jr M., Lanphere, M. A. & Eberlein, G. D. Radiometric age of the *Monograptus cyphus* graptolite zone in Southeastern Alaska – An estimate of the age of the Ordovician–Silurian boundary, 15
Classification, soil (R), 492
CO_2, 149
Compaction of coarse-grained sediments (R), 401
Conodont Paleoecology (R), 404
Conodonts (R), 160
Continental crust, 203
Continental shelf, Barents Sea (R), 491
Continental slope, Portugal (R), 320
Cook, A. F. Temporary exposure of the Middle Cambrian, Warwickshire, England, 33
Copper, 483; mineralization, 195
Coral growth, 63
Corals, Devonian (R), 244
Cornwall, Wolf Rock, 249
Correlation, 485
Coward, M. P. & Wright, J. V. Rootless vents in welded ash-flow tuffs from northern Snowdonia, North Wales, indicating deposition in a shallow water environment, 133
Cowie, J. W. Upper Precambrian (Riphean) in the Southern Urals of U.S.S.R., 305
Crawford, A. R. Danubian deviations and mantle diapirism: a possible origin of the Carpathian Arc, 115
Creag Dubh composite sill, 1
Cretaceous, Boreal (R), 69; dinoflagellate assemblages, Canada (R), 159; System, North America (R), 489
Crustal Movement (R), 240
Crust to Core, Europe (R), 402
Cryphiocrinus, 209
Dagger, G. W. Controls of copper mineralization at Coniston, English Lake District, 195
Dagger, G. W. Lake District copper, 483
Dalradian, 355
Danubian deviations, 115
Deelman, J. C. Surface roughness measurements and the analysis of petrofabrics, 459
Devon, eastern south, 165
Devonian, Conodonts (R), 160; Corals (R), 244; limestones, 165

Diagenetic concretions, 127
Dinoflagellate assemblages (R), 159
Dorset, palaeofault, 47
Drifting Continents (R), 159
Dyke rocks, Mer Mundwara, 291
Earth (R), 317; History (R), 319; Resources (R), 245
Earth Sciences, Dictionary (R), 320; History of (R), 315; Theory and problems (R), 160
Earth's obliquity, 57
Eberlein, G. D., Lanphere, M. A. & Churkin, Jr M. Radiometric age of the *Monograptus cyphus* graptolite zone in Southeastern Alaska – an estimate of the age of the Ordovician – Silurian boundary, 15
Ecology (R), 319
Environment (R), 245
Environmental Geology (R), 241
Environments, Jurassic (R), 241
ERTS (R), 245
Essex, 219
Europe, Crust to Core (R), 402
European Shelf (R), 493
Ewarara layered intrusion, Australia, 365
Exine, evolutionary significance (R), 158
Factor Analysis (R), 237
Fairchild, I. J. Phengite spherules from the Dalradian Bonahaven Formation, Islay, Scotland: glauconitized microfossils? 355
Feldspar Minerals (R), 69
Ferguson, C. C. & Harte, B. Textural patterns at porphyroblast margins, 148
Field Geology (R), 317
Finlow-Bates, T. The formation of fibrous texture in some veins, 141
Finnmark, 329
Firman, R. J. Lake District Copper, 483
Fission track dates, 299
Folds, non-cylindrical, 329
Foraminifera (R), 403; Portugal (R), 320; Recent (R), 158; Senegal (R), 320
Fortey, R. A. & Morris, S. F. Variation in lens packing of *Phacops* (Trilobita), 25
Fortey, R. A. & Shaw, F. C. Middle Ordovician facies and trilobite faunas in N. America, 409
Fortran Programming (R), 243
Frozen ground, 65
Galway Granite, 227
Gas brecciation, 375
Gayer, R. A. & Rhodes, S. Non-cylindrical folds, linear structures in the X direction and mylonite developed during translation of the Caledonian Kalak Nappe Complex of Finnmark, 329
Geochemistry, 1
Geological, Evolution, British Isles (R), 318; Factor Analysis (R), 237; Maps (R), 321; Sciences, 81
Geology, Lincolnshire (R), 402; Schools (R), 246; Southeast Asia (R), 236; Turkey (R), 399
Gibson, I. L. & Rogers, N. W. The petrology and geochemistry of the Creag Dubh composite sill, Whiting Bay, Arran, Scotland, 1
Glacial, 57

Glauconitized microfossils, 355
Global Geology (R), 489
Gondwana (R), 75
Goode, A. D. T. Intercumulus igneous layering in the Kalka Layered Intrusion, central Australia, 215
Goode, A. D. T. Vertical igneous layering in the Ewarara layered intrusion, central Australia, 365
Goode, A. J. J., Harrison, R. K., Snelling, N. J., Merriman, R. J. & Morgan, G. E. The Wolf Rock, Cornwall: new chemical, isotopic age and palaeomagnetic data, 249
Granites, Galloway, 299; Galway, 227
Gravity, Canada (R), 75
Harland, W. B. International Stratigraphic Guide 1976, 229
Harrison, R. K., Snelling, N. J., Merriman, R. J., Morgan, G. E. & Goode, A. J. J. The Wolf Rock, Cornwall: new chemical isotopic age and palaeomagnetic data, 249
Hey, R. W. & Brenchley, P. J. Volcanic pebbles from Pleistocene gravels in Norfolk and Essex, 219
Hurford, A. J. Fission track dates from two Galloway granites, Scotland, 299
Iglesia Irca intrusion, Peru, 375
Igneous layering, Australia, 215; 365
Igneous rocks, County Antrim, 145
Ireland, 127
Islay, Scotland, 355
Isotopic age, 249
Jenkyns, H. C. & Senior, J. R. A Liassic palaeofault from Dorset, 47
Jurassic, Ammonites (R), 323; Coral growth, 63; dinoflagellate assemblages (R), 159; Environments (R), 241; NW Scotland, 281; Paleobiogeography (R), 242
Kalka Intrusion, 215
Karbon, Trilobiten (R), 322
Kumar, S. & Awasthi, A. K. A nomogram to estimate the size for a random sample from a normal population for mean, 475
Kwak, T. A. P. Scapolite compositional change in a metamorphic gradient and its bearing on the identification of meta-evaporate sequences, 343
Labechia aldonensis sp. nov, 53
Lake District, 195; 483
Lanphere, M. A., Churkin, Jr M. & Eberlein, G. D. Radiometric age of the *Monograptus cyphus* graptolite zone in Southeastern Alaska – an estimate of the age of the Ordovician-Silurian boundary, 15
Leake, B. E. & Bremner, D. On the western boundary of the Galway Granite, 227
Lens packing of *Phacops*, 25
Liassic, Dorset, 47
Limestones, Devonian, 165
Lincolnshire (R), 402
Linear structures, 329
Lithostratigraphic Descriptive System, 81
LSDØ2, 81
Lyell Centenary (R), 315
Magnetic fields (R), 75
Mair, B. F., Storey, B. C. & Bell, C. M. The occurrence of Mesozoic oceanic floor and ancient continental crust on South Georgia, 203

Malaya, 479
Manganese (R), 244
Mantle diapirism, 115
Marsh, J. S. The role of CO_2 in alkali rock genesis, 149
M^{c}Court, W. J. & Bussell, M. A. The Iglesia Irca intrusion and the role of gas brecciation in the emplacement of the coastal Batholith of Peru, 375
Merriman, R. J., Harrison, R. K., Snelling, N. J., Morgan, G. E. & Goode, A. J. J. The Wolf Rock, Cornwall: new chemical, isotopic age and palaeomagnetic data, 249
Mesozoic, South Georgia, 203; Vancouver Island (R), 318
Meta-evaporite sequences, 343
Metallogeny and Plate Tectonics (R), 490
Metamorphic gradient, 343.
Meteorites, Carbonaceous (R), 71
Microfossils, Precambrian, 393; 395
Mineral Deposits in Africa, Asia and Australasia (R), 399
Mineral Supplies (R), 314
Miocene Reef Carbonates (R), 493
Moeskops, P. G. Volume increase serpentinization in Archaean quench texture ultramafic rocks near Kalgoorlie, Western Australia, 41
Mollusca (R), 317
Monograptus cyphus Zone, 15
Montagne du Bakony (R), 239
Montmorillonite, 281
Morgan, G. E., Harrison, R. K., Snelling, N. J., Merriman, R. J. & Goode, A. J. J. The Wolf Rock, Cornwall: new chemical, isotopic age and palaeomagnetic data, 249
Morris, S. F. & Fortey, R. A. Variation in lens packing of *Phacops* (Trilobita), 25
Muir, M. D. Late Precambrian Microfossils, 395
Mullan, H. S. & Bussell, M. A. The basic rock series in batholithic associations, 265
Mylonite, 329
Mylonites, SW Norway, 445
Nevada, 308
New York (R), 244
Nockolds, S. R. & Le Bas, M. J. Average calc-alkali basalt, 311
Nomogram, 475
Norfolk, 219
North America, Cretaceous (R), 489; Ordovician, 409
North Sea (R), 493
NW Scotland, 281
Ober-Devon, Trilobiten (R), 322
Odell, J. Description in the geological sciences and the Lithostratigraphic Descriptive System, LSDØ2, 81
Oil and Gas (R), 493
Ordovician, N. America, 409; Nevada, 308; Silurian boundary, 15; Stromatoporoid, 53
Oregon (R), 323
Orléanais (R), 247
Palaeofault, Dorset, 47
Palaeogene, 485
Palaeomagnetic data, 249
Palaeontology, Fundamentals (R), 317; Southeast Asia (R), 236

Paleobiogeography, Jurassic (R), 242
Paleoecology, Conodont (R), 404
Paleotectonic, Pennsylvanian (R), 237
Paleozoic (R), 319
Palynology, 153
Pays Basque (R), 247
Pennsylvanian (R), 237
Pentremites, 9
Periglacial Environment (R), 313
Perm, Trilobiten (R), 322
Peru, 375
Petrofabrics, 459
Petrology, Creag Dubh composite sill, 1
Phacops (Trilobita), lens packing, 25
Phengite spherules, 355
Philippines (R), 493
Plate Tectonics (R), 159; Metallogeny (R), 490
Pleistocene, 219
Population, 475
Porphyroblast margins, 147
Portugal, continental slope, benthic foraminifera (R), 320
Precambrian, glacial, 57; Malaya, 479; Microfossils, 393; 395; Southern Urals, 305
Preston, J. An unusual occurrence of Quartz and amorphous silica at Carmean, Moneymore, Co. Antrim, 389
Proterozoic (R), 319
Pyrénées Occidentales (R), 247
Quantitative techniques (R), 243
Quartz, Co. Antrim, 389
Quaternary (R), 320
Radiometric age, 15
Rajasthan, 291
Reptiles (R), 399
Rhaetian, 153
Rhodes, S. & Gayer, R. A. Non-cylindrical folds, linear structures in the X direction and mylonite developed during translation of the Caledonian Kalak Nappe Complex of Finnmark, 329
Ribband Group, 127
Rift zone, Gulf of Elat ('Aqaba), 467
Rock analysis, Chemical Methods (R), 489
Rock Mechanics (R), 240
Rock, N. M. S. The role of CO_2 in alkali rock genesis, 150
Rogers, N. W. & Gibson, I. L. The petrology and geochemistry of the Creag Dubh composite sill, Whiting Bay, Arran, Scotland, 1
Sample, 475
Scapolite, 343
Schermerhorn, L. J. G. & Stanton, W. I. Late Precambrian glacial climate and the Earth's obliquity – a discussion, 57
Schools, Geology for (R), 246
Scotland, Creag Dubh composite sill, 1; Dalradian, 355; granites, 299; Ordovician stromatoporoid, 53

Scrutton, C. T. Facies variations in the Devonian limestones of eastern South Devon, 165
Sediments, Analysis (R), 243; Coarse-grained (R), 401
Seismology (R), 321
Senegal, Quaternary, planktonic foraminifera (R), 320
Senior, J. R. & Jenkyns, H. C. A Liassic palaeofault from Dorset, 47
Serpentinization, 41
Shallow water environment, 133
Shannon, P. M. Diagenetic concretions from the Ribband Group sediments of County Wexford, Ireland, 127
Shaw, F. C. & Fortey, R. A. Middle Ordovician facies and trilobite faunas in N. America, 409
Shirav (Schwartz), M. The occurrence of large scale kink bands in Campanian Chalk at the Gulf of Elat ('Aqaba) rift zone, 467
Silica, 389
Sinha Roy, S. Mylonitic microstructures and their bearing on the development of mylonites – an example from deformed trondhjemites of the Bergen Arc region, SW Norway, 445
Sinha Roy, S. Textural patterns at porphyroblast margins, 147
Site conditions (R), 157
Slate (R), 236
Smith, D. G. Late Triassic palynology and the definition of the lower boundary of the Rhaetian Standard Age/Stage, 153
Snelling, N. J., Harrison, R. K., Merriman, R. J., Morgan, G. E. & Goode, A. J. J. The Wolf Rock, Cornwall: new chemical, isotopic age and palaeomagnetic data, 249
Snelling, N. J. & Stauffer, P. H. A Precambrian trondhjemite boulder in Palaeozoic mudstones of NW Malaya, 479
Snowdonia, 133
Soil Taxonomy (R), 492
Southeast Asia (R), 236
South Georgia, 203
Sozansky, V. I. Note on the stratigraphic position of igneous rocks of the Larne Borehole, County Antrim, 145
Speleology (R), 238
Spilites (R), 73
Stanton, W. I. & Schermerhorn, L. J. G. Late Precambrian glacial climate and the Earth's obliquity – a discussion, 57
Stauffer, P. H. & Snelling, N. J. A Precambrian trondhjemite boulder in Palaeozoic mudstones of NW Malaya, 479
Storey, B. C., Mair, B. F. & Bell, C. M. The occurrence of Mesozoic oceanic floor and ancient continental crust on South Georgia, 203
Stratigraphic Guide, 229
Strimple, H. L. The inadunate crinoid genus *Cryphiocrinus* Kirk, 209
Strimple, H. L. Unusual morphological features in the blastoid genus *Pentremites*, 9
Stromatoporoid, Scotland, 53
Surveys, soil (R), 492
Taxonomy, soil (R), 492
Tertiary, Vancouver Island (R), 318
Touraine (R), 247
Trace Fossils (R), 157
Triassic, 153
Trilobita, *Phacops*, 25

Trilobite faunas, N. America, 409
Trilobiten, Karbon (R), 322; Ober-Devon (R), 322; Perm (R), 322
Trondhjemite, 479
Trondhjemites, Bergen Arc region, 445
Turkey (R), 399
Ultramafic rocks, 41
United States (R), 237
Universe, Children (R), 74
U.S.S.R. Precambrian, 305
Val de Loire (R), 247
Vancouver Island (R), 318
Veins, 141
Vents, 133
Vidal, G. Late Precambrian microfossils, 393
Viswanathan, S. Differentiated dyke rocks of Mer Mundwara, Rajasthan and their metallogenic significance, 291
Volcanic pebbles, 219
Vosges Alsace (R), 247
Webby, B. D. *Labechia aldonensis* sp. nov.; an Ordovician stromatoporoid from Scotland, 53
Western Australia, 41
Williams, G. E. Late Precambrian glacial climate and the Earth's obliquity – a discussion, 61
Williams, P. J. Properties of frozen ground: Russian approaches, 65
Wilson, H. E. Note on the stratigraphic position of igneous rocks of the Larne Borehole, County Antrim, 146
Wright, J. V. & Coward, M. P. Rootless vents in welded ash-flow tuffs from northern Snowdonia, North Wales, indicating deposition in a shallow water environment, 133